

ATTACK

Bifenthrin 10% EC

Is an agricultural insecticide with contact and stomach action, designed to manage a range of pests in the agriculture field.

- **Bollworm and Sucking Pests in Cotton**
- **White Fly in Cotton**
- **Leaf Folder in Rice**
- **Green Leaf Hopper in Rice**
- **Stem Borer in Rice**
- **Termite in Sugarcane**

Always read and follow label instructions.



ATTACK: UNYIELDING DEFENSE AGAINST PESTS, PROTECTING YOUR CROPS FROM ROOT TO LEAF

Active Ingredient:

Bifenthrin 10% EC

Features:

- EC formulation: Compatible to mix with water and as an oil base.
- Spraying: Compatible with various sprayers.
- Safety Tip: Avoid spraying against the wind.

Mode of Action:

It is a broad-spectrum insecticide having contact and stomach action. Multiple pest attacks can be tackled through ATTACK (Bifenthrin 10%). It provides long-term residual effects on recommended crops Best pesticide to control termite attack in sugarcane crops.

Always read and follow label instructions.

 info@arbudaagrochemicals.com

Recommended Dose:

Crops	Common Name of Pest	Dosage/HA		Dilution in water (L)	Waiting Period between last spray to harvest (days)
		AI (g)	Formulation (ml)		
Cotton	Bollworms	80	800	500	15 (Days)
	White fly	80	800	500	15 (Days)
Sugarcane	Termite	100	1000	500	10 (Months)
Rice	Stem borer, Leaf folder, green leaf hopper	50	500	500	21

Antidote:

No specific antidote is known. Treat symptomatically.

Packing:

1 L

Scan QR CODE
for product details



Always read and follow label instructions.

 info@arbudaagrochemicals.com

 +91 9076 9076 42

 www.arbudaagrochemicals.com