

MATERIAL SAFETY DATA SHEET

RUN-RAT (Bromadiolone 0.005 % RB)

1. IDENTIFICATION OF THE SUBSTANCE / PREPARATION AND SUPPLIER

Trade Name : RUN-RAT

Technical Name : Bromadiolone 0.005 % RB

Molecular Formula : C30H23BrO4

Corporate Address : Arbuda Agrochemicals Pvt. Ltd

1104, Ruby Crescent Business Boulevard, Ashok Chakravarti

Road, Kandivali-East, Mumbai-400101, Maharashtra, India Customer

Care No- +91 9076907642

Email - info@arbudaagrochemicals.com

Manufacture Address: Arbuda Agrochemicals Pvt. Ltd.

Plot No-281-283, GIDC, Taluka-Talod

District Sabarkantha, Gujarat-383215

2. HAZARDS IDENTIFICATION

Bromadiolone 0.005% (Cake) is low in toxic and not considered hazardous to human beings.

Inhalation : Dust can cause mild irritation, like soar throat.

Skin contact : Non-irritant. **Eye contact** : Non-irritant.

Ingestion : Large quantity may cause haemorrhage.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Ingredients: Bromadiolone = 0.005% w/w

Broken cereals, paraffin wax = 99.995% w/w

100.00% w/w

4. FIRST AID MEASURES

Eyes: Wash eyes immediately with large amounts of water.

Skin : Remove contaminated clothing and shoes. Wash effected area with soap or

mild detergent and large amounts of water.

Inhalation: Remove from exposure area to fresh air. Treat symptomatically and

supportively. Get medical attention.



Ingestion: If only a small amount of bait have been ingested by an adult or child having no

antecedent liver or blood clotting disease, treatment is probably unnecessary. If large amounts of cake is ingested in the preceding 2-3 hours, induce vomiting with syrup of

ipecac, followed by 1-2 glasses of water.

Following emesis, give activated charcoal in 110-170 ml of water to limit absorption of Anticoagulant remaining in the gut. Observe patient 4-5 days after ingestion. Get

medical attention immediately.

Notes to physicians or first aid Providers :

Vitamin K is a specific antidote. Vitamin - K1 emulsion is the preferred form. The initial subcutaneous or intramuscular dose in the adults is 5 to 10 mg (upto 25mg),repeated once if necessary. Only in victims who are bleeding severely or otherwise in serious distress should the drug be given intravenously and then at a rate no faster than 1 mg/minute. If necessary, on subsequent days, Vitamin K1 should be continued at a reduced level until the prothrombin time returns to normal. Antidote should be administered by qualified medical personnel.

5. FIRE-FIGHTING MEASURES

Fire and explosion Hazards: Slight fire hazard when exposed to heat or flame.

Fire fighting media: Foam, Carbon Dioxide, Dry Chemical, Halon or water spray or standard foam. For larger fires, use water spray or standard foam.

Fire fighting precaution: Move containers from fire area if possible. Fight fire from maximum distance. Stay away from storage ends. Dike fire control water for later disposal. Do not scatter material.

6. ACCIDENTAL RELEASE MEASURES

Accidental release measure: For spills, with a clean shovel place material into containers and cover. Move containers from spilled area for later disposal. Keep unnecessary people away. Isolate hazard area and deny entry. Ventilate closed spaces before entering.

7. HANDLING AND STORAGE

Handling and Storage: The package containing the disposal rodenticide shall be stored in separate rooms or premises away from the room or premises used for storing other articles or shall be kept under lock and key depending upon the quantity of the rodenticide. The room or premises meant for storing the rodenticide shall be well built, well lit, dry and well ventilated and of sufficient dimensions to avoid contamination with vapor.



8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure controls/Personal protection:

Eye Protection : wear safety goggles.

Skin Protection: Prevent contact with this substance.

Work Hygienic Practices : Good house-keeping.

Other protective clothing or equivalent: Wear appropriate protective clothing to prevent any possibility of skin contact with this substance.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Solid cake.

Odor : Nil

Density : ---

Melting point : 56° C

Boiling Point : not applicable

Vapor Pressure : ----

Water Solubility : insoluble Corrosiveness : None

10. STABILITY AND REACTIVITY

Stability : Stable under normal temperature and pressure.

Incompatibilities : Strong oxidizers and alkalis.

11. TOXICOLOGICAL INFORMATION

Toxicological information details

Acute Oral Toxicity : Rat LD50 – 1.75 mg/kg

Acute Dermal Toxicity : Rabbit LD50 – 0.49 mg/kg

Skin irritation : non irritant

Eye irritation : non irritant

Carcinogen Status : None

12. ECOLOGICAL INFORMATION

Ecological Information : No data available.



13. DISPOSAL CONSIDERATION

Waste disposal method: Observe all state and local regulations when storing or disposing of this substance. For assistance, contact the manufacturer. Disposal of containers: The packages shall be broken and buried away from inhabitation. The used packages shall not be left outside to prevent their re-use. Package or surplus material and washings should be disposed of in safe manner so as to prevent contamination of environment or water pollution.

14. TRANSPORT INFORMATION

UN No. : 2588 (solid)
U.N.Hazard class : 6.1 (poison)

IMDG Code : 6145

15. REGULATORY INFORMATION

Regulatory Information : As per CIB Registration, highly toxic.

Classification : Group I.

Risk/Safety Phrases : Keep out of reach of children. Keep away from food,

drink and animal feeding stuffs.

Do not breathe dust. Avoid contact with skin and eyes.

16. OTHER INFORMATION

None.

MSDS PREPARATION DATE 01/03/2024 REVISION DATE 28/02/2026

The information contained in this safety data sheet is given in good faith. It is accurate to the best of our knowledge and belief and represents the most up to date information. The information given in this data sheet does not constitute or replace the user's own assessment or work risk as required by other health and safety legislation.